



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Reports of States and yearly and monthly reports of cities of the United States.

ALABAMA—*Mobile*.—Month of November, 1899. Estimated population, 37,817. Total number of deaths, 106, including enteric fever, 1, and 14 from phthisis pulmonalis.

CONNECTICUT—*New Haven*.—Month of December, 1899. Estimated population, 76,000. Total number of deaths, 131, including diphtheria, 8; enteric fever, 6, and 13 from phthisis pulmonalis.

GEORGIA—*Columbus*.—Month of December, 1899. Estimated population, 19,303—white, 10,276; colored, 9,027. Total number of deaths, 19—white, 9; colored, 10, including 2 from phthisis pulmonalis.

ILLINOIS—*Springfield*.—Month of December, 1899. Census population, 24,963. Total number of deaths, 41, including diphtheria, 1; enteric fever, 2, and 8 from phthisis pulmonalis.

INDIANA—*Evansville*.—Month of December, 1899. Estimated population, 70,000. Total number of deaths, 58, including diphtheria, 3; enteric fever, 1, and 7 from phthisis pulmonalis.

MAINE—*Portland*.—Four weeks ended December 23, 1899. Estimated population, 50,000. Total number of deaths, 69, including diphtheria, 1; enteric fever, 1; whooping cough, 1, and 7 from phthisis pulmonalis.

MASSACHUSETTS—*Lawrence*.—Month of November, 1899. Estimated population, 58,500. Total number of deaths, 83, including diphtheria, 5, and 4 from phthisis pulmonalis.

Newton.—Month of December, 1899. Census population, 27,590. Total number of deaths, 43, including diphtheria, 1, and 1 from phthisis pulmonalis.

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended December 30, 1899, from 57 observers, indicate that scarlet fever, intermittent fever, erysipelas, pneumonia, and influenza increased in area of prevalence. Phthisis pulmonalis was reported present at 212, scarlet fever at 64, measles at 45, enteric fever at 40, diphtheria at 28, whooping cough at 16, smallpox at 5, and cerebrospinal meningitis at 3 places.

MINNESOTA—*Minneapolis*.—Month of November, 1899. Estimated population, 225,602. Total number of deaths, 139, including diphtheria, 9; enteric fever, 5; scarlet fever, 1, and 19 from phthisis pulmonalis.

NEW JERSEY—*Passaic*.—Three weeks ended December 31, 1899. Census population, 13,028. Total number of deaths, 24. No death from contagious disease.

NORTH CAROLINA.—Reports to the State board of health for November, 1899, from 21 towns, having an aggregate estimated population of 147,700—white, 87,901; colored, 59,799, show a total of 143 deaths—white, 72; colored, 71, including diphtheria, 3; enteric fever, 5; whooping cough, 1, and 14 from phthisis pulmonalis.

Charlotte.—Month of December. Estimated population, 29,000. Total number of deaths, 21, including 2 from phthisis pulmonalis.

TENNESSEE—*Chattanooga*.—Month of December, 1899. Estimated population, 40,000—white, 27,000; colored, 13,000. Total number of deaths, 51—white, 22; colored, 29; including enteric fever, 2, whooping cough, 2, and 11 from phthisis pulmonalis.

VIRGINIA—*Lynchburg*.—Month of December, 1899. Estimated population, 30,000. Total number of deaths, 27, including enteric fever, 2, and 2 from phthisis pulmonalis.

WISCONSIN—*Milwaukee*.—Month of November, 1899. Estimated population, 285,000. Total number of deaths, 287, including diphtheria, 16; enteric fever, 4; measles, 5; scarlet fever, 10; whooping cough, 1, and 23 from phthisis pulmonalis.

MORTALITY TABLE, CITIES OF THE UNITED STATES.

Cities.	Week ended.	Population, U. S. Census of 1890.	Total deaths from all causes.	Deaths from—									
				Tuberculosis.	Yellow fever.	Smallpox.	Varicoid.	Cholera.	Typhus fever.	Enteric fever.	Scarlet fever.	Diphtheria.	Measles.
Allegheny, Pa.	Jan. 6	105,287	60	5						6	1		
Allentown, Pa.	Dec. 29	25,228	10								1	1	
Amsterdam, N. Y.	Dec. 31	17,336	7										
Baltimore, Md.	Jan. 6	434,439	212	18						3	1	11	1
Baton Rouge, La.	Dec. 23	10,478	4										
Do.	Dec. 30	10,478	3										
Bay City, Mich.	do.	27,839	5						1			1	
Do.	Jan. 6	27,839	5									1	
Binghamton, N. Y.	do.	35,005	10	2					1				
Boston, Mass.	do.	448,477	283	33					2	10	17		1
Bristol, R. I.	Dec. 30	5,478	3	1									
Cambridge, Mass.	do.	70,028	42	4						2	6		1
Do.	Jan. 8	70,028	32	4							4		
Camden, N. J.	Jan. 6	58,313	24									2	
Charleston, S. C.	Dec. 30	a 55,955	b 29	4									
Chelsea, Mass.	do.	27,909	16	2		1							
Chicago, Ill.	do.	1,099,850	454	41					5	11	27	6	3
Do.	Jan. 6	1,099,850	518	48					4	11	28	3	4
Chicopee, Mass.	do.	14,050	6	1									
Chillicothe, Ohio.	Dec. 30	11,288	4							1			
Cincinnati, Ohio.	Dec. 29	296,908	17								2		
Cleveland, Ohio.	Jan. 6	261,353	95						2	1	3		
Concord, N. H.	Dec. 30	17,044	5										
Dayton, Ohio.	Jan. 6	61,022	27	2					2				
Detroit, Mich.	Dec. 16	205,876	94	6					1		3	3	
Do.	Dec. 23	205,876	75	6					1		2	1	
Do.	Dec. 30	205,876	104	12							5	3	
Dubois, Pa.	do.	6,149	2										
Dunkirk, N. Y.	do.	9,416	5						1				
Elmira, N. Y.	do.	29,708	10	1									
Evansville, Ind.	do.	50,756	12	3									
Do.	Jan. 6	50,756	11	4									
Everett, Mass.	Dec. 30	11,068	7	1							1		
Fitchburg, Mass.	do.	22,037	5	1							1		
Grand Rapids, Mich.	Jan. 6	60,278	27	2					1		1		
Green Bay, Wis.	Dec. 31	9,069	5										
Haverhill, Mass.	Jan. 6	27,412	17	1							2		
Holyoke, Mass.	do.	35,637	8										
Honolulu, Hawaii	Dec. 9	35,000	35	4					1				
Jacksonville, Fla.	Dec. 30	17,201	25	5					1				
Jersey City, N. J.	Dec. 31	163,003	58	7					1	2	1		
Johnstown, Pa.	Dec. 30	21,805	13	1									
Do.	Jan. 6	21,805	15	1					1		1		
Lancaster, Pa.	do.	32,011	12								2		

a Estimated population, 65,165—white, 28,870; colored, 36,295. b White, 9; colored, 20.